

TRUXPORT

Owners & Installation Manual

READ INSTRUCTIONS - Failure to assemble cover properly will void warranty.

Damaged or missing parts?

Call **1-877-878-9336**

Mon - Fri 8 am - 5 pm CT

Parts will be shipped to you factory direct.

Do not return kit to place of purchase.



Specify length or make and model of vehicle to inquire about headers, cover, side rails, or bows.

Tools Required:

1/2" Socket

3/8" Drive Ratchet

Scissor

TruXedo, Inc.

P.O. Box 1078, 2209 Kellen Gross Dr., Yankton, South Dakota 57078


Call Toll Free: 1-877-TRUXEDO (1-877-878-9336) FAX: (605) 664-9304

Visit Us Online: <http://www.truxedo.com>


TRUXPORT

P/N 1118056 REV D

- 1** Remove rear cargo plugs from cargo rails. Reinstall after TruXedo side rails are installed, see step 12.




Remove cargo cleats if equipped.



After TruXedo side rails are installed the cargo cleats can be reinstalled, see step 12.

2



Replacement Parts List

Item	Part #	Description
1.	1705550	Screw Hex HD_5/16-18 x 2 1/4
2.	1700428	Washer, 5/16"
3.	1705547	Clamp Half, Male
4.	1704595	Clamp Half, Female

- 3** Slide three female clamp halves (item 4) into the driver side and passenger side cargo rail.




TruXedo, Inc.

P.O. Box 1078, 2209 Kellen Gross Dr., Yankton, South Dakota 57078
Call Toll Free: 1-877-TRUXEDO (1-877-878-9336) Fax: (605) 664-9304
Visit Us Online: <http://www.truxedo.com>


TRUXPORT

P/N 1118056 REV D


4 Install weather seal on cab end corner plugs:




5 Set cover assembly on front bulkhead:



- 6
- Place side rails on truck bed rails.
 - Assemble rear clamps as shown. This will hold side rails in place.
 - Insert side rail corner plugs in front header.



7 Place remaining clamps. **Notice:** Each clamp assembly, starting at the front then to back, has a special groove alignment. See detail 8a, 8b, and 8c.




TruXedo, Inc.

P.O. Box 1078, 2209 Kellen Gross Dr., Yankton, South Dakota 57078
 Call Toll Free: 1-877-TRUXEDO (1-877-878-9336) Fax: (605) 664-9304
 Visit Us Online: <http://www.truxedo.com>


TRUXPORT

P/N 1118056 REV D



8 Align cover with pickup bed:




9 Tighten front clamps:




10 Tighten Center Clamps:



12 Tighten rear clamps:



13 Install weather seal on tailgate corner plugs:








TruXedo, Inc.

P.O. Box 1078, 2209 Kellen Gross Dr., Yankton, South Dakota 57078
 Call Toll Free: 1-877-TRUXEDO (1-877-878-9336) Fax: (605) 664-9304
 Visit Us Online: <http://www.truxedo.com>

TRUXPORT

P/N 1118056 REV D

14 Close cover:



Both latches must be fully engaged!!!

- To prevent accidental release of tailgate header, ensure header is securely latched to side rails on both sides of pickup bed before driving vehicle.
- To prevent wind lift, secure loop and hook fasteners along entire length of both side rails before driving vehicle.

15 Cover tension:


There is no need to adjust cover length tension. The Latch Assembly is set to the correct tension. **Any modification done to this will VOID warranty.**

Keeping cover taut:





Periodically or as needed, pull cover tight across width of pickup bed, secure loop and hook on side rails.

For ease of operation, periodically clean with high pressure water to remove dirt and dust.

Cover may appear loose or relaxed in cooler or cold conditions.
Cover may appear tight in warmer or hot conditions.



16 Open cover:




TruXedo, Inc.

P.O. Box 1078, 2209 Kellen Gross Dr., Yankton, South Dakota 57078
Call Toll Free: 1-877-TRUXEDO (1-877-878-9336) Fax: (605) 664-9304
Visit Us Online: <http://www.truxedo.com>

TRUXPORT

P/N 1118056 REV D

Replacement Parts



1	*	Truxport® Cover	18	1117869	Latch Passenger side.
2	*	Bow	19	1703560	Flat Head Cap Screw
3	1705421	Corner Plug	20	*	Tailgate Header
4	*	Cab End Header	21	*	Hook Fastener
5	1705420	Corner Plug	22	*	Rear Header Seal
6	*	Passenger's Side Rail	23	1705629	Self-Drilling Screw sq Dr., #6 X 3/8"
7	1116028	Retainer Clips	24	1703750	Decal Dual Latch
8	1705548	Clamp Assembly	25	1118160	Retainer Strap
9	*	Driver's Side Rail	26	1705761	Retainer Loop
10	1703569	End Plug, Driver Side	* Please specify length or make and model of vehicle.		
11	1703570	End Plug, Pass. Side			
12	1705422	Large Rear Header Eng Plug Driver Side			
13	1705423	Large Rear Header End Plug Pass. Side			
14	1704536	Small Rear Header End Plug Driver side			
15	1704537	Small Rear Header End Plug Pass.			
16	1703568	Four Corners Weather Seal			
17	1117868	Latch Driver Side			

TruXedo, Inc.

P.O. Box 1078, 2209 Kellen Gross Dr., Yankton, South Dakota 57078

Call Toll Free: 1-877-TRUXEDO (1-877-878-9336) Fax: (605) 664-9304

Visit Us Online: <http://www.truxedo.com>

TRUXPORT

P/N 1118056 REV D

FIVE YEAR WARRANTY

TruXedo, Inc. warrants that all new, unused products are free from defects in material and workmanship. This Five Year Limited Warranty is effective if the product is properly installed and used for the purpose intended. It applies to the original buyer only. TruXedo's obligation under this Warranty is limited to repairing, or at its option, replacing any part that is returned, transportation prepaid, to TruXedo, Inc., Yankton, South Dakota, if the product is, in our judgment, defective. All materials must be accompanied by an RMA (Returned Material Authorization) number requested by and authorized in advance of returning the materials. TruXedo, Inc. shall not be liable or responsible to supply or pay labor to replace any part found defective, nor shall it be liable for any damages of any kind or nature to person, product, or property.

There are no Warranties for used products or products that have been repaired, altered, modified, subjected to misuse, negligence, accident or ordinary wear and tear. Warranty registration must be on file and/or proof of original purchase (detailed and dated receipt) required for warranty to be valid. Register online at www.truxedo.com

DIRECT ALL WARRANTY CLAIMS TO TRUXEDO, INC. AT 1-877-878-9336



WARNING

Tighten clamps securely on side rails before driving vehicle, to prevent cover from blowing off.

SAFETY INSTRUCTIONS

1. Do not place objects on or against cover or framework.
2. Do not tie cargo to TruXport framework.
3. Never allow children or pets to occupy pickup box while cover is closed.
4. Cover is not airtight. Special care is required to keep cargo clean and dry.
5. Fabric cover won't prevent theft of contents inside truck box.
6. Cover must be rolled fully open and secured with retainer straps when towing vehicle backwards.
7. Rolled opened cover must be tightly rolled, securely cinched down with both retainer straps, and away from the cab and window. **DO NOT STOW COVER AGAINST TRUCK CAB OR BACK WINDOW.**
8. Cover must be rolled fully open and secured with retainer straps if any part of the truck bed cover is worn or damaged.

OWNER/USER RESPONSIBILITIES

It is the responsibility of the owner/user to read this manual and comply with the operating procedures. The owner/user is also responsible for inspecting their TruXport® cover, and for having parts repaired or replaced when worn or damaged.

Failure to follow safety instructions and warning labels could result in failure of your cover system and/or personal injury.

MESSAGES TO INSTALLER

- Always wear safety glasses and/or other necessary protective equipment when installing your TruXport®.
- These instructions are complete for most pickup models. Additional instructions are included, if required for your pickup. Please read entire manual before installing your TruXport®.

COVER MAINTENANCE

Vinyl cover can be hand washed with mild soap and water or cleaned in a car wash. Thoroughly rinse cover to remove any soap residue. Recommended to use the tested and approved Protex cleaner or any vinyl protectant made for truck bed covers. **Never use any vinyl conditioners (ie, Armor All®) that contain silicone, petroleum, or citrus based products on your truck bed cover as they may crack and shrink the vinyl.**

Questions?

Call our friendly customer service staff at TruXedo, Inc. Toll Free:

1-877-878-9336

Mon - Fri 8 am - 5 pm CT

Warranty registration must be on file and/or proof of original purchase (detailed and dated receipt) required for warranty to be effective.

Register online at www.truxedo.com

TruXedo, Inc.

P.O. Box 1078, 2209 Kellen Gross Dr., Yankton, South Dakota 57078

Call Toll Free: 1-877-TRUXEDO (1-877-878-9336) Fax: (605) 664-9304

Visit Us Online: <http://www.truxedo.com>

TRUXPORT

P/N 1118056 REV D