

POPULAR APPLICATIONS



TABLE OF CONTENTS



Popular Applications	3
Why Air Springs?	4
Why Air Lift?	5
Product Overview	6
Adjustable Load Support Applications	8
SlamAir Applications <small>Load support for lowered vehicles</small>	34
Drag Bags Applications <small>Air suspension for drag racing</small>	34
Motorhome/RV/Step Van Applications	35
Air Lift 1000 Universal Air Spring Kits	36
On-Board Air Compressor Systems	37
Universal Air Spring Spacers and Cradles for Lifted Vehicles	37
Replacement Air Springs	38
Air Spring Specifications	39
Service Parts	40
Stainless Steel Upgrade Kits	41
Compressor System Parts	41
Tow Assist Products	42
Frequently Asked Questions	43

Year	Model	AIR LIFT 1000™	AIR LIFT 1000HD™	RideControl™	LoadLifter 5000™	LoadLifter 5000™ Ultimate	LoadLifter 7500™ Ultimate	LoadLifter 7500 XL™ Ultimate	Air Lift ProSeries
CHEVROLET/GMC									
2019-2024	Silverado/Sierra 1500 2WD & 4WD				57288	88288			93288
2019-2024	Silverado/Sierra 1500 Trail Boss/AT4 4WD				57388	88388			93388
2019	Silverado 1500 Legacy/Sierra 1500 Limited				57204	88204			93204
2007-2019	Silverado/Sierra 1500 2WD & 4WD Short & Standard Bed			59565	57204	88204			
2007-2018	Silverado/Sierra 1500 2WD & 4WD Long Bed				57211	88211			
2011-2019	Silverado/Sierra 2500HD & 3500HD				57338	88338	57538	93338	
2020-2024	Silverado/Sierra 2500HD (Silverado - No fit for ZR2/Sierra - No fit for AT4)				57341	88341	57541	93341	
2020-2024	Silverado/Sierra 3500HD				57341	88341	57541	93341	
2007-2024	GMC Acadia	60816							
2007-2017	Buick Enclave	60816							
2008-2017	Chevy Traverse	60816							
2000-2020	GMC Yukon & Yukon XL 1500	60769							
2000-2020	Chevy Tahoe 4 Door Only/Suburban 1500	60769							
1996-2023	Chevy Express G-2500 Heavy-duty - Call for 2024				57205	88205			
1996-2023	Chevy Express G-3500 Passenger Van Only - Call for 2024				57205	88205			
1996-2023	GMC Savana G-2500 & G-3500 - Call for 2024				57205	88205			
2015-2024	Chevy Colorado/GMC Canyon 2WD & 4WD (Does not fit diesel models)			59533					
2011-2015	Chevy/GMC C/K 3500 Commercial Chassis						88339		
RAM/JEEP									
2019-2025	RAM 1500 2WD (New body style)	60828HD							
2019-2025	RAM 1500 4WD (New body style) *See notes in listing	60828HD			57375*	88375*			93375*
2011-2024	RAM 1500 2WD & 4WD (Old body style)	60818	60818HD		57365	88365			93365
2014-2024	RAM 2500 2WD & 4WD (Old body style)	80532 (4WD)			57289	88289	57589	93289	
2011-2018	RAM 3500 4WD				57295	88295	57595	93295	
2019-2024	RAM 3500 2WD & 4WD	80532 (4WD)			57231	88231	57531	93231	
2013-2023	RAM Promaster 1500, 2500, 3500 - Call for 2024				57233	88233			
2014-2023	Jeep Cherokee	60863							
2014-2023	Jeep Cherokee Trailhawk	60864							
2020-2024	Jeep Gladiator 4WD	60830							
2011-2024	Jeep Grand Cherokee 2WD & 4WD	60825							
2018-2024	Jeep Wrangler JL 4WD	60829							
FORD									
2019-2023	Ranger 2WD & 4WD - Call for 2024				57234	88234			
2010-2014	F-150 2WD				59568	57228	88228		
2010-2014	F-150 4WD				59568	57200	88200		
2015-2020	F-150 2WD				59570	57268	88268		
2015-2020	F-150 4WD				59570	57385	88385		93285
2021-2024	F-150 2WD & 4WD (No fit for PowerBoost models)				57355	88355			93355
2021-2024	F-150 PowerBoost 4WD				57389	88389			
2011-2016	F-250 2WD				57395	88395			
2011-2016	F-250 4WD				57396	88396	57596	93396	
2011-2016	F-350 2WD				57395	88395			
2011-2016	F-350 4WD				57396	88396	57596	93396	
2017-2024	F-250 & F-350 2WD				57391	88391			
2017-2019	F-250 & F-350 4WD				57399	88399	57577	93399	
2020-2022	F-250 & F-350 SRW 4WD				57352	88352	57552	93352	
2020-2022	F-350 DRW						57550		
2015-2016	F-450 Pickup Non-Commercial Chassis						88349		
2017-2022	F-450 Pickup Non-Commercial Chassis 4WD				57399	88399	57577	93399	
2017-2024	F-450 Pickup Non-Commercial Chassis 4WD				57399	88399			93399
2005-2024	F-450 & F-550 Commercial Chassis 2WD & 4WD				57345				
2011-2019	Explorer 2WD & 4WD	60821							
2015-2024	Transit 150, 250, 350				57213	88213			
NISSAN									
2013-2024	Frontier 4WD				57244				
2017-2024	Titan				57331	88331			
2016-2023	Titan XD				57229	88229			
TOYOTA									
2005-2023	Tacoma 2WD & 4WD - Call for 2024				57300				
2007-2021	Tundra 2WD & 4WD						88299		
2022-2024	Tundra 2WD & 4WD (No fit for factory air or 5th wheel hitches)				57383	88383			


Please call 1.800.248.0892 for 2024 applications.




Why Air Springs?

Tow and Haul with Safety and Comfort with Air Lift Adjustable Air Spring Kits

- Air springs ensure that weight is properly distributed to all four tires, which maximizes vehicle stability, safety and comfort (see graphics below)
- Add air when towing or hauling; deflate when riding empty for a softer ride
- Made with rugged, durable components
- Easy and quick to install with common hand tools
- No. 1 choice of professional drivers



Air Lift air spring kits solve these common problems



Squat

Proper weight distribution to all tires improves steering, braking and tire wear. This is especially important while towing: adjust the air springs to accept the tongue weight of the trailer.



Headlight Aim

Only level and stable vehicles provide safe and proper headlight aiming — critical for night driving safety.



Braking and Steering

Front tires account for the majority of braking and steering. Air springs ensure that weight is properly distributed to all four tires for optimal braking and steering.

Bottoming Out

Air Lift springs restore normal ride height when loaded or towing, reducing suspension wear and eliminating crashing on bumps.

Why Air Lift?

Load Support Products That Fit, Work and Last. Guaranteed.

- A 3rd generation, family-owned Lansing, Michigan, suspension-specialty company since 1949
- Our in-house customer service department is available to answer your questions Monday through Friday, 8am-8pm (EST)
- The most comprehensive warranty plus an exclusive 60-day no-questions-asked, money-back guarantee
- Over 450 vehicle fitments
- Don't run around town trying to find a working air pump... Air Lift has the most innovative, easy-to-use on-board air compressor systems available



INDUSTRY EXCLUSIVE!

Air Lift's Lifetime Warranty Covers the Entire Contents of the Air Spring Kit

While other companies offer a lifetime warranty on their air springs, only Air Lift covers the air springs as well as the entire contents of the kit, including brackets, fittings and air line. Air Lift Company warrants that Air Lift 1000, Air Lift 1000 HD, RideControl, LoadLifter 5000, LoadLifter 5000 Ultimate, LoadLifter 7500 XL Ultimate and ProSeries air spring systems will be free from manufacturer's defects in workmanship or materials for as long as the original purchaser owns the original vehicle of installation. This does not include installation or other service charges for replacement. Purchase receipts are required for all warranty claims. Go to www.airliftcompany.com/warranty/ for official warranty program details.

INDUSTRY EXCLUSIVE!

Air Lift Guarantees Your Satisfaction or Your Money Back!



Air Lift offers a 60-Day No Questions Asked, Money-Back Guarantee on load support air springs and all load support on-board air compressor systems. Ride on Air Lift's air springs kit and/or use an Air Lift on-board air compressor system for 60 days. We guarantee you'll be happy with the improvement in ride comfort, load handling and air spring control, or get your money back. If you're not satisfied, you may remove the products and return them to your dealer for a full refund of your purchase price within the first 60 days after purchase.

Refund must be made by the selling agent. Offer is limited to purchasing a set of Air Lift 1000, Air Lift 1000 HD, RideControl, LoadLifter 5000, LoadLifter 5000 Ultimate, LoadLifter 7500 XL Ultimate, ProSeries or Slam Air air springs; limited to WirelessAir, WirelessOne, all LoadController on-board air compressor systems. Offer may be withdrawn at any time and does not include any units improperly installed, modified, substituted or abused. Valid only on private, non-commercial applications. Date proof of purchase is required. Does not include reimbursement for labor/installation.

Two-Year Warranty

When Consumer Installs Themselves



Air Lift Company warrants to the original purchaser that WirelessAir™, WirelessOne™ and all LoadController™ on-board air compressor systems will be free from defects in workmanship or materials for two years on the vehicle from the date of the original purchase. This does not include installation or other service charges for replacement.

Four-Year Warranty When Installed by an Authorized Installer



When installed by an Air Lift Authorized Installer, Air Lift Company warrants to the original purchaser that WirelessAir and WirelessOne on-board air compressor systems will be free from defects in workmanship or materials for four years from the date of the original purchase. This does not include installation or other service charges for replacement.

Warranty programs may change at the discretion of Air Lift Company. View complete, detailed warranty information at <http://air-lift.co/lswarranty>



Rough Ride

Air Lift's progressive spring rate soaks up bumps, keeping tires on the road for better handling.



Body Roll

Air springs increase spring rate and vastly improve vehicle stability. Less roll means a safer and more comfortable ride.



Trailer Sway

When towing a trailer, air springs permit precise vehicle height adjustment for exact alignment, reducing trailer sway.

Warranty Information	
Air Lift ProSeries™	Lifetime Limited
LoadLifter 7500 XL Ultimate™	Lifetime Limited
LoadLifter 5000™ Ultimate	Lifetime Limited
LoadLifter 5000™	Lifetime Limited
RideControl™	Lifetime Limited
Air Lift 1000™	Lifetime Limited
Air Lift 1000 HD™	Lifetime Limited
SlamAir™	Lifetime Limited
WirelessAir™	2 or 4 Year Limited
WirelessOne™	2 or 4 Year Limited
LoadController™ Compact	2 Year Limited
LoadController™ Panel	2 Year Limited
Other Accessories	2 Year Limited
Performance Systems	1 Year Limited

Dedication to Quality

Air Lift Company is proud to be ISO 9001:2015 certified.



Air Lift Company is committed to fulfilling the requirements of its quality management system: to develop, manufacture and continuously improve the highest quality products that fit, work and last. Our goal is to consistently provide products and services that meet or exceed the requirements and expectations of our customers.



Product Overview



Air Lift Product	Air Lift 1000™	Air Lift 1000 HD™	RideControl™		LoadLifter 5000™	LoadLifter 5000™ ULTIMATE	LoadLifter 7500 XL™ ULTIMATE	Air Lift ProSeries
Representative Kit Photo								
Uses	Good for towing/hauling loads up to GVWR Adjustable load support for coil sprung vehicles	Good for towing/hauling loads up to GVWR Our highest rated coil spring insert exclusively for RAM 1500	Good for towing/hauling loads up to GVWR Excellent stability, safety and car-like ride comfort		Good for towing/hauling loads up to GVWR Safe and comfortable ride, loaded or unloaded	Good for towing/hauling loads up to GVWR Ultimate ride comfort with internal bounce bumper	Good for towing/hauling loads up to GVWR Level the heaviest loads at lower pressures	Good for towing/hauling loads up to GVWR Featuring aluminum anodized end caps
Fitment	<ul style="list-style-type: none"> Most SUVs, CUVs, cars and minivans with open coil springs Motorhomes 	<ul style="list-style-type: none"> RAM 1500 trucks 	<ul style="list-style-type: none"> Most 1/2-ton trucks Some vans 		<ul style="list-style-type: none"> Most 1/2, 3/4 & 1-ton trucks Motorhomes/RVs Some full-size vans 	<ul style="list-style-type: none"> Most 1/2, 3/4 & 1-ton trucks Motorhomes/RVs Some full-size vans 	<ul style="list-style-type: none"> Popular 3/4 & 1-ton trucks 	<ul style="list-style-type: none"> Most 1/2, 3/4 & 1-ton trucks Motorhomes/RVs Some full-size vans
Load-Leveling Capacity	Up to 1,000 lbs.*	Up to 2,100 lbs.*	Up to 2,000 lbs.*		Up to 5,000 lbs.*	Up to 5,000 lbs.*	Up to 7,500 lbs.*	Up to 5,000 lbs.*
Air Adjustable	From 5 to 35 PSI 90 PSI for motorhomes	From 5 to 50 PSI	From 5 to 100 PSI		From 5 to 100 PSI	From 5 to 100 PSI	From 5 to 100 PSI	From 5 to 100 PSI
Air Spring	Polyurethane coil-insert spring	Polyurethane coil-insert spring	Rubber sleeve-style spring		6-inch rubber convoluted bellows spring	6-inch rubber convoluted bellows spring with internal bounce bumper	7-inch rubber convoluted bellows spring with internal bounce bumper	6-inch rubber convoluted bellows spring
Compatible with most in-bed hitches	Yes	Yes	No		Yes (In most applications)	Yes (In most applications)	Yes	Yes (In most applications)
Additional Features		Schrader valve	Alignment tool		Roll plates	Roll plates Internal bounce bumper	Roll plates 20% more volume than LoadLifter 5000 Internal bounce bumper	Roll plates Aluminum anodized end caps Stainless steel attaching hardware
Warranty**								
Money-Back Guarantee**								

*Never exceed manufacturer's recommended Gross Vehicle Weight Rating.

**See page 5 for details.

Adjustable Load Support Applications

Adjustable Load Support Applications					Air Lift Front Kits (Representative front kit image)				Air Lift 1000 & Air Lift 1000 HD		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries						
Model	Start Year	End Year	Drive	Notes	Front (All Product Lines)				Rear		Rear		Rear		Rear		Rear		Rear		Rear				
					Kit	Type	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time
Acura																									
MDX	2005	2013	F&A	Fits front and all wheel drive						60815	  														
Buick - Car																									
Century	1982	1996	FWD	Including station wagon						60797	  														
Deluxe, Custom, Skylark, Sport Wagon	1964	1966								60750	  														
Deluxe, Special, Skylark, Gran Sport	1967	1972		Excluding station wagon						60744	  														
Electra & Park Avenue	1985	1996	FWD	Excluding station wagon						60798	  														
Electra, Centurion, Wildcat, LeSabre	1965	1984		Excluding Estate Wagon						60755	  														
Estate Wagon	1977	1990								60755	  														
LeSabre	1985	1985	RWD							60755	  														
LeSabre	1986	1999	FWD	Excluding station wagon						60798	  														
LeSabre	2000	2005								60776	  														
Park Avenue	1997	2005								60776	  														
Regal, Century, Gran Sport, Luxus	1973	1987	RWD	Including station wagon						60733	  														
Riviera	1979	1985								60783	  														
Riviera	1995	1999								60776	  														
Roadmaster Estate Wagon & Sedan	1991	1996								60755	  														
Skylark	1985	1996								60789	  														
Buick - Truck/SUV																									
Enclave	2007	2017	F&A	2017 Limited only						60816	  														
Encore GX	2020	2024	F&A							60857	  														
Envision	2017	2020	F&A							60856	  														
Cadillac - Car																									
All Rear Wheel Drive Models	1965	1993								60755	  														
Coupe Deville, Sedan Deville, Fleetwood	1985	1993								60798	  														
Touring Sedan	1985	1993	FWD							60798	  														
Cadillac - Truck/SUV																									
Escalade 4-Door Only	1999	2000	2&4								59518	  													
Escalade, Escalade XL	2002	2007	2&4	Will not fit factory-installed auto-leveling option on 2007 models						60769	  														
XT5	2017	2024	AWD	Does not fit internal coil spring jounce bumper models						60857	  														
Chevrolet - Car																									
Beretta, Corsica	1988	1996								60789	  														
Camaro, Z28	1982	2002								60797	  														
Caprice, Impala	1971	1996		Excluding 94-96 SS models						60755	  														
Caprice, Impala Station Wagons	1977	1996								60755	  														
Impala, Bel Air, Biscayne	1958	1964		Including station wagons						60713	 <img														

Add an Air Lift on-board air compressor system. See page 37 to learn more.



The image shows a circular gauge with a scale from 0 to 100. The word 'LOAD' is printed in the center of the gauge. Below the gauge, the word 'Single' is followed by 'P/N 25854' and 'Dual' is followed by 'P/N 25856'.

Kit Type Abbreviations

Air Lift 1000.....	AL
RideControl	RC
LoadLifter 5000	LL
LoadLifter 5000 Ultimate	U
LoadLifter 7500 XL Ultimate	XL

Features Key and Installation Scale

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal Jounce Bumper	Up to 20% more volume than LoadLifter 5000	 Easy	 Hand Tools	No metal drilling, grinding or removal of factory components.	<ol style="list-style-type: none"> 1 Number of hours a typical professional installer will take to complete a full installation 2 3 4
Stainless Steel Attaching Hardware		 Medium	 Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	
Anodized Aluminum Endcaps		 Expert	 Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	

Adjustable Load Support Applications							Air Lift Front Kits (Representative front kit image)		Air Lift 1000 & Air Lift 1000 HD		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries							
Model	Start Year	End Year	Drive	Notes	Front (All Product Lines)				Rear				Rear				Rear				Rear					
					Kit	Type	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	
Chevrolet - Truck/SUV																										
Avalanche 1500	2002	2014	2WD	Will not fit factory-installed auto-leveling option						60769	AL	2	1													
Avalanche 2500	2002	2006	4WD	Requires 6" between the tire and frame										59526	AL	2										
Blazer	1969	1991	4WD	Requires 6" between the tire and frame on rear kit										59501	AL	2										
Blazer	1973	1991	2WD	Requires 6" between the tire and frame on rear kit	81560	AL	2	1						59501	AL	2										
Blazer, Tahoe 2 Door Only	1992	1997	4WD											59518	AL	2										
Blazer	2019	2024	F&A	Does not fit internal coil spring jounce bumper models						60857	AL	2														
C-1500 1/2 Ton Pickup	1973	1987	2WD	57215 & 88215: Requires 8" between the tire and frame	81560	AL	2	1						57215	AL	2	2	88215	AL	2						
C-1500 1/2 Ton Pickup Regular & Crew Cab	1988	1998	2WD	59501: Not extended cab; Requires 6" between the tire and frame 57216 & 88216: Not extended cab; Does not fit if axle to frame distance is 7.25" or less										59501	AL	2		57216	AL	2	2	88216	AL	2		
C-10 1/2 Ton Pickup	1973	1987	2WD	57215 & 88215: Requires 8" between the tire and frame	81560	AL	2	1						57215	AL	2		88215	AL	2						
C-20 3/4 Ton Pickup	1973	1987	2WD	Requires 8" between the tire and frame	81560	AL	2	1						57215	AL	2		88215	AL	2						
C-2500 3/4 Ton Pickup	1988	2000	2WD	Does not fit if axle to frame distance is 7.25" or less										57216	AL	2		88216	AL	2						
C-30 1 Ton Pickup	1967	1987	2WD	Requires 8" between the tire and frame	81560	AL	2	1						57215	AL	2		88215	AL	2						
C-3500 1 Ton	1999	2000	2WD	Under 11,000 GVWR; Does not fit if axle to frame distance is 7.25" or less										57216	AL	2		88216	AL	2						
Colorado Z71 & YC1	2004	2012	2WD							59539	AL	2	1													
Colorado Z71 & Z85	2004	2012	4WD							59539	AL	2	1													
Colorado	2015	2024	2&4	Does not fit diesel models						59533	AL	2														
Equinox	2018	2024	2&A							60856	AL	2														
Geo-Tracker 2 Door	1989	2004	4WD							60793	AL	2	1													
K-10 1/2 Ton Pickup	1973	1987	4WD	59501: Requires 6" between the tire and frame										59501	AL	2		57237	AL	2	2	88237	AL	2		
K-1500 1/2 Ton Pickup	1988	1998	4WD	59501: Requires 6" between the tire and frame 57216 & 88216: Does not fit if axle to frame distance is 7.25" or less										59501	AL	2		57216	AL	2	2	88216	AL	2		
K-20 3/4 Ton Pickup	1973	1987	4WD	Requires 8" between the tire and frame										57237	AL	2		88237	AL	2						
K-2500 3/4 Ton Pickup	1988	2000	4WD	Does not fit if axle to frame distance is 7.25" or less										57216	AL	2		88216	AL	2						
K-30 1 Ton Pickup	1973	1987	4WD	Requires 8" between the tire and frame										57237	AL	2		88237	AL	2						
K-3500 1 Ton	1988	2000	4WD	Under 11,000 GVWR; Does not fit if axle to frame distance is 7.25" or less										57216	AL	2		88216	AL	2						
S-10 Pickup	1982	2003	2WD	Without sport suspension										59529	AL	2										
S-10 Pickup	1983	1993	4WD											59529	AL	2										
Silverado 1500 Classic GMT 800 series	1999	2007	2WD	Requires 6" between the tire and frame										59501	AL	2										
Silverado 1500 Classic GMT 800 series	1999	2007	4WD	Requires 6" between the tire and frame - Does not fit Quadrasteer										59501	AL	2		57272	AL	2	2	88272	AL	2		
Silverado 1500 GMT 900 series aka "Legacy"	2007	2019	2&4	Fits 68.4" and 78" bed lengths only										59565	AL	1		57204	AL	2	2	88204	AL	2		
Silverado 1500 GMT 900 series	2007	2018	2&4	Fits 97.8" bed lengths only										57211	AL	2		88211	AL	2						
Silverado 1500	2019	2024	2&4	Does not fit adaptive ride control										57288	AL	2		88288	AL	2						
Silverado 1500 Legacy	2019	2019	2&4											59565	AL	1		57204	AL	2	2	88204	AL	2		
Silverado 1500 Trail Boss	2019	2024	4WD	Does not fit adaptive ride control										57388	AL	2		88388	AL	2						
Silverado 1500HD	2001	2005	2&4	59501: Requires 6" between the tire and frame 57250 & 88250: Will fit most side-mount 5th wheel hitch applications										59501	AL	2		57250	AL	2	2	88250	AL	2		
Silverado 2500 3/4 Ton Pickup	1999	2004	2&4	Except 2500 HD; Will fit most side-mount 5th wheel hitch applications. Will not fit with Quadrasteer.										57250	AL	2		88250	AL	2						
Silverado 2500HD 3/4 Ton Pickup	2001	2010	2&4	Will fit most side-mount 5th wheel hitch applications. Will not fit with Quadrasteer.										57275	AL	2		88275	AL	2						
Silverado 2500HD 3/4 Ton Pickup	2011	2019	2&4	Will fit most side-mount 5th wheel hitch applications										57												

Adjustable Load Support Applications								Air Lift Front Kits (Representative front kit image)				Air Lift 1000 & Air Lift 1000 HD		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries										
								 Application Information for All Air Lift Front Kits		Front (All Product Lines)																						
Model	Start Year	End Year	Drive	Notes				Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time
Silverado 3500HD 1 Ton Pickup	2011	2019	2&4	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis														57338	                    <img alt="													

Adjustable Load Support Applications							Air Lift Front Kits (Representative front kit image)		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries											
Model	Start Year	End Year	Drive	Notes	Front (All Product Lines)				Rear				Rear				Rear				Rear							
					Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time				
Dakota	1987	2004	4WD	Requires 6" between tire and frame											59501	Front	2											
Dakota	2005	2011	2&4												59555	Front	2											
Dakota RT	2000	2001	2WD	Requires 6" between tire and frame											59501	Front	2											
Durango	1998	2002	4WD												59529	Front	2											
Durango	2001	2002	2WD												59503	Front	2											
Durango	2004	2009	AWD	With coil springs						60808	Front	1																
Durango	2011	2024	2&4	Does not fit Heat and early RT models. Does fit 2023 and up RT models.						60824	Front	1																
RAM 1500 1/2 Ton Pickup	1994	2001	2&4	59501: Requires 6" between tire and frame. Front kit fits 2WD only.											59501	Front	2	57215	Front	2	88215	Front	2					
RAM 1500 1/2 Ton Pickup	2002	2008	2WD	59551: Requires 6" between tire and frame											59551	Front	2	57257	Front	2	88257	Front	2					
RAM 1500 1/2 Ton Pickup	2002	2008	4WD	59551: Requires 6" between tire and frame											59551	Front	2	57230	Front	2	88230	Front	2					
RAM 1500 1/2 Ton Pickup - Classic Body Style	2009	2010	2&4	Does not fit if vehicle is equipped with factory air suspension including classic models body style.						60818	Front	2				57365	Front	3	88365	Front	3				93365	Front	3	
60818HD																												
RAM 2500 3/4 Ton Pickup	1994	2002	2&4	Requires 8" between tire and frame; Front kit fits 2WD only											57215	Front	2	88215	Front	2								
RAM 2500 3/4 Ton Pickup	2003	2010	2WD	Will fit most side-mount 5th wheel hitch applications											57297	Front	2	88297	Front	2								
RAM 2500 3/4 Ton Pickup	2003	2010	4WD	Fits factory in-bed hitch system											57295	Front	2	88295	Front	2	57595	Front	2	93295	Front	2		
RAM 3500 1 Ton Pickup	1994	2002	2&4	Requires 8" between tire and frame. Front kit fits 2WD only. Does not fit cab & chassis applications.											57215	Front	2	88215	Front	2								
RAM 3500 1 Ton Pickup	2003	2010	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.											57297	Front	2	88297	Front	2								
RAM 3500 1 Ton Pickup	2003	2010	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Fits factory in-bed hitch system. Does not fit cab & chassis applications. Does not fit with factory air suspension.											57295	Front	2	88295	Front	2	57595	Front	2	93295	Front	2		
RAM 4500 Commercial Cab and Chassis	2007	2010	2&4																									
RAM 5500 Commercial Cab and Chassis	2007	2010	2&4																									
RAM 50	1979	1993	2WD							59503	Front	2																
RAMcharger	1974	1993	2&4	Requires 6" between tire and frame						59501	Front	2																
Dodge - Van																												
B-100, 150, 1500 1/2 Ton Van	1971	2004																										
B-200, 250, 2500, 3/4 Ton Van	1971	2004																										
B-300, 3500 1 Ton Van	1971	2004																										
Caravan, Grand Caravan	2005	2006		Except all wheel drive											59547	Front	2											
Caravan, Grand Caravan	2007	2007		No fit due to suspension design change																								
Grand Caravan	2008	2016	2WD	Caravan is no longer offered in '08						60814	Front	2																
Ford - Car																												
Crown Victoria	1998	2007								60798	Front	1																
Crown Victoria, Country Squire	1983	1987								60769	Front	1																
Focus Station Wagon	2000	2007								60724	Front	1																
Mustang	1979	2004								60797	Front	1																
Taurus Station Wagon	1986	2005								60776	Front	1																
Taurus SHO	2010	2019								60821	Front	1																
Thunderbird	1992	1997								60776	Front	1																
Thunderbird	1989	1991								60789	Front	1																
Ford - Truck/SUV																												
Bronco	1980	1996	4WD	59501: Requires 6" between tire and frame 57215 & 88215: Requires 8" between tire and frame											59501	Front	2	57215	Front	2	88215	Front	2					
Bronco II	1983	1990	4WD	Requires 6" between tire and frame											59501	Front	2											
Bronco Sport	2021	2024	4WD							60858																		

Adjustable Load Support Applications



Application
Information
for All Air Lift
Front Kits

Add an Air Lift on-board air compressor system. See page 37 to learn more.



P/N 74000



P/N 25980



P/N 25980



Single Dual
R/N 35854 R/N 35856

Kit Type Abbreviations

Air Lift 1000	AL
RideControl	RC
LoadLifter 5000	LL
LoadLifter 5000 Ultimate	U
LoadLifter 7500 XL Ultimate	XL

Features Key and Installation Scale

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
 Internal Jounce Bumper	 Up to 20% more volume than LoadLifter 5000	 Easy	 Hand Tools	No metal drilling, grinding or removal of factory components.	1 Number of hours a typical professional installer will take to complete a full installation
 Stainless Steel Attaching Hardware		 Medium	 Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	2
 Anodized Aluminum Endcaps		 Expert	 Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	3 4

Adjustable Load Support Applications										Air Lift Front Kits (Representative front kit image)		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries						
Model	Start Year	End Year	Drive	Notes	Front (All Product Lines)				Rear				Rear				Rear				Rear					
					Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time		
F-250 3/4 Ton Pickup	2005	2010	2WD	Side Mount Kit No 5th wheel hitch or with Reese 5th wheel hitch- except Reese "Signature Series" or Reese hitches with custom rail kit installations											57212	AL	2	88212	AL	2						
F-250 3/4 Ton Pickup	2005	2010	4WD	Will fit most side-mount 5th wheel hitch applications											57397	AL	2	88397	AL	2						
F-250 3/4 Ton Pickup	2005	2010	4WD	Will fit most side-mount 5th wheel hitch applications. Will not fit with Una-Goose hitch.											57398	AL	2	88398	AL	2						
F-250 3/4 Ton Pickup	2011	2016	2WD												57395	AL	3	88395	AL	3						
F-250 3/4 Ton Pickup	2011	2016	4WD	Fits factory in-bed hitch system											57396	AL	3	88396	AL	3	57596	AL	3	93396	AL	2
F-250 3/4 Ton Pickup	2017	2024	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models.											57391	AL	2	88391	AL	2						
F-250 3/4 Ton Pickup	2017	2022	4WD	Fits single-rear-wheel (SRW) models only. Side mount kit for lifted trucks.											57409	AL	2									
F-250 3/4 Ton Pickup	2017	2019	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models											57399	AL	2	88399	AL	2	57577	AL	2	93399	AL	2
F-250 3/4 Ton Pickup	2020	2022	4WD	Fits single-rear-wheel (SRW) models only											57352	AL	2	88352	AL	2	57552	AL	2	93352	AL	2
F-250 3/4 Ton Pickup	2023	2024	4WD	Fits single-rear-wheel (SRW) models only											57354	AL	2	88354	AL	2	57554	AL	2	93354	AL	2
F-350 1 Ton Pickup	1970	1979	2WD	Side mount kit - May not work with some 5th wheel hitches. Requires 8" between tire and frame.											57215	AL	2	88215	AL	2						
F-350 1 Ton Pickup	1980	1997	2WD	Side mount kit - May not work with some 5th wheel hitches. Requires 8" between tire and frame.											57215	AL	2	88215	AL	2						
F-350 1 Ton Pickup	1980	1997	4WD	Side mount kit - May not work with some 5th wheel hitches. Excl. Super HD chassis. Requires 8" between tire and frame. Will not fit with stabilizer bar.											57215	AL	2	88215	AL	2						
F-350 1 Ton Pickup	1999	2004	2WD	Side mount kit - May not work with some 5th wheel hitches. 11,200 GVWR & Under. Requires 8" between tire and frame.											57215	AL	2	88215	AL	2						
F-350 1 Ton Pickup	1999	2004	2&4	Side mount kit - May not work with some 5th wheel hitches. Requires 8" between tire and frame. Front kit fits 4WD only.	57154 88154	LL U	AL	AL	2						57215	AL	2	88215	AL	2						
F-350 Super Duty	1999	2004	4WD	57215, 88215 & 89215: Side mount kits – May not work with some 5th wheel hitches. 11,200 GVWR and under	57154	LL	AL	AL	2						57390	AL	2	88215	AL	2						
F-350 1 Ton Pickup	1971	2004	2&4	Side Mount Kit With Reese 5th wheel hitch											57298	AL	2	88298	AL	2						
F-350 1 Ton Pickup	1999	2007	2&4	Side Mount Kit Only fits B&W hitch part #1105 and #1199R in 49" position with minor modifications to both B&W and Air Lift's upper brackets.											57291	AL	2	88291	AL	2						
F-350 1 Ton Pickup	1999	2004	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.											57393	AL	3	88393	AL	3						
F-350 1 Ton Pickup	1999	2004	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Requires 9" between tire and frame.	57154 88154	LL U	AL	AL	2						57390	AL	2	88390	AL	2						
F-350 1 Ton Pickup	2005	2010	2&4	Side Mount Kit No 5th wheel hitch or with Reese 5th wheel hitch- except Reese "Signature Series" or Reese hitches with custom rail kit installations											57212	AL	2	88212	AL	2						
F-350 1 Ton Pickup	2005	2010	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.										57397	AL	2	88397	AL	2							
F-350 1 Ton Pickup	2005	2010	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Will not fit with Una-Goose hitch.										57398	AL	2	88398	AL	2							
F-350 1 Ton Pickup	2011	2016	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Front kit to 2014 only.										57395	AL	3	88395	AL	3							
F-350 1 Ton Pickup	2011	2016	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Fits factory in-bed hitch system. Does not fit cab & chassis applications. Front kit to 2014 only.										57396	AL	3	88396	AL	3	57596	AL	3	93396	AL	2	
F-350 1 Ton Pickup	2017	2024	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models										57391	AL	2	88391	AL	2							
F-350 3/4 Ton Pickup	2017	2022	4WD	Fits single-rear-wheel (SRW) models only. Side mount kit for lifted trucks.										57409	AL	2										
F-350 1 Ton Pickup	2017	2019	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models										57399	AL	2	88399	AL	2	57577	AL	2	93399	AL	2	
F-350 Chassis Cab (Commercial Chassis)	2017	2024	2&4	Must have 7 1/2" tire to frame clearance. Must have 3 3/4" body to frame clearance.										57343	AL	3								93343	AL	3
F-350 SD (DRW)	2020	2022	4WD	Fits dual-rear-wheel (DRW) models only																57550	AL	2				
F-350 SD (DRW)	2020	2024	2&4	Fits dual-rear-wheel (DRW) models only										57380	AL	2	88380	AL	2					93380	AL	2
F-350 SD (DRW)	2023	2024	2&4	Fits dual-rear-wheel (DRW) models only																57580	AL	3				
F-350 1 Ton Pickup (SRW)	2020	2022	4WD	Fits single-rear-wheel (SRW) models only										57352	AL	2	88352	AL	2	57552	AL	2	93352	AL	2	
F-350 1 Ton Pickup	2023	2024	4WD	Fits single-rear-wheel (SRW) models only										57354	AL	2	88354	AL	2	57554	AL	2	93354	AL	2	

Add an Air Lift on-board air compressor system. See page 37 to learn more.



Adjustable Load Support Applications										Air Lift Front Kits (Representative front kit image)		Air Lift 1000 & Air Lift 1000 HD		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries																	
Front (All Product Lines)										Application Information for All Air Lift Front Kits		Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*		Up to 2,000 lbs. Load-Leveling Capacity*		Up to 5,000 lbs. Load-Leveling Capacity*		Up to 5,000 lbs. Load-Leveling Capacity*		Up to 7,500 lbs. Load-Leveling Capacity*		Up to 5,000 lbs. Load-Leveling Capacity*																	
Model	Start Year	End Year	Drive	Notes						Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time					
F-450 Pickup (non-commercial chassis)	2008	2010	2WD																	57347	AL	2	1	88347	AL	2	1												
F-450 Underframe Mounting	2011	2014	2WD	Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.																57395	AL	2	3	88395	AL	2	3												
F-450 Underframe Mounting	2011	2014	4WD	Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Front kit to 2014 only.																57396	AL	2	3	88396	AL	2	3	57596	AL	2	3	93396	AL	2	2				
F-450 Pickup (non-commercial chassis)	2015	2016	2WD																	57399	AL	2	2	88399	AL	2	2	57577	AL	2	2	93399	AL	2	2				
F-450 Pickup (non-commercial chassis)	2017	2022	4WD																	57399	AL	2	2	88399	AL	2	2												
F-450 Pickup (non-commercial chassis)	2017	2024	4WD																																				
F-450 Commercial Vehicle	1994	2004	2WD	Requires 9" between tire and frame						57154	LL	2									57345	AL	2																
F-450 Commercial Vehicle	2005	2024	2WD	Requires 9" between tire and frame. Typically sold as cab & chassis (straight frame).						57154	LL	2									57345	AL	2																
F-550 Commercial Vehicle	1994	2004	2WD	Requires 9" between tire and frame						57154	LL	2									57345	AL	2																
F-550 Commercial Vehicle	2005	2024	2WD	Requires 9" between tire and frame. Typically sold as cab & chassis (straight frame).																57345	AL	2																	
Ranger	1983	1994	4WD																	59516	AL	2																	
Ranger	1995	1997	2WD																	59516	AL	2																	
Ranger	1998	2011	2WD																	59516	AL	2																	
Ranger	2019	2023	2WD	Domestic models only. Does not fit Tremor models. - Call for 2024																57234	AL	2	2	88234	AL	2	2												
Ford - Van																																							
E-150 1/2 Ton Van	1996	2014		Requires 6" between tire and frame																59526	AL	2																	
E-250 3/4 Ton Van	1975	2015	2WD																																				
E-350 1 Ton Van	1975	2015	2WD																																				
E-350 Commercial Chassis	2015	2024	2WD																																				
E-450, E-Super Duty Commercial Chassis	1996	2024	2WD	57242 is a side mount kit, make sure there are no propane or other lines on the outside of the frame that may interfere with mounting the upper bracket. If they exist, use kit #57131.																57242	AL	2	2	88242	AL	2	2												
Transit 150, 250, 350	2015	2024	2WD	Does not fit DRW HD Models. Does not fit E-Transit T350 models.																57213	AL	2	2	88213	AL	2	2												
GMC - Truck/SUV																																							
Acadia	2007	2024	F&A	2017 Limited only																60816	AL	2																	
Acadia	2017	2024	F&A	Does not fit internal coil spring jounce bumper models																60857	AL	2	2																
C-10 & C-1500 1/2 Ton Pickup	1973	1987	2WD	57215, 88215 & 89215: Require 8" between the tire and frame						81560	AL	2	1								57215	AL</																	

Adjustable Load Support Applications

							Air Lift Front Kits (Representative front kit image)		Application Information for All Air Lift Front Kits		Front (All Product Lines)				Air Lift 1000 & Air Lift 1000 HD		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries						
											Front (All Product Lines)				Rear		Rear		Rear		Rear		Rear		Rear		Rear				
Model	Start Year	End Year	Drive	Notes			Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time
S-15 Pickup, Sonoma	1983	1993	4WD	All models												59529	                                                             <img alt="Screwdriver icon" data-bbox														





Application Information for All Air Lift Front Kits

Adjustable Load Support Applications				Air Lift Front Kits				Air Lift 1000 & Air Lift 1000 HD				RideControl				LoadLifter 5000				LoadLifter 5000 ULTIMATE				LoadLifter 7500 XL ULTIMATE				Air Lift ProSeries									
				 Application Information for All Air Lift Front Kits				 Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*				 Up to 2,000 lbs. Load-Leveling Capacity*				 Up to 5,000 lbs. Load-Leveling Capacity*				 Up to 5,000 lbs. Load-Leveling Capacity*				 Up to 7,500 lbs. Load-Leveling Capacity* +20%				 Up to 5,000 lbs. Load-Leveling Capacity*									
				Front (All Product Lines)				Rear				Rear				Rear				Rear				Rear				Rear									
Model	Start Year	End Year	Drive	Notes				Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time	Kit	Type	Difficulty Level	Tools	Install Time
Honda																																					
CR-V	2017	2024	F&A													60834     2																					
Odyssey	1999	2004														60740     1																					
Odyssey	2005	2017	F&A	Fits front and all wheel drive												60815     2																					
Passport	1998	2002														60797     1																					
Pilot	2003	2004														60740     1																					
Pilot	2005	2009	F&A	Fits front and all wheel drive												60815     2																					
Hummer																																					
Hummer H2/SUT Truck	2003	2009	4WD	Will not fit factory installed auto leveling option												60769     1																					
Hyundai																																					
Palisade	2020	2024	F&A													60860     1																					
Santa-Fe	2020	2024	F&A													60860     1																					
Tucson	2016	2021	F&A													60860     1																					
Infiniti																																					
QX4	1997	2004	4WD													60742     1																					
Isuzu																																					
Amigo	1990	1993						</																													

Add an Air Lift on-board air compressor system. See page 37 to learn more.



A circular gauge with a needle pointing to '0'. The scale ranges from 0 to 100 with increments of 20. Below the gauge is a three-position switch labeled 'Single', 'Dual', and 'P/N 25554'.

Kit Type Abbreviations

Air Lift 1000	AL
RideControl	RC
LoadLifter 5000	LL
LoadLifter 5000 Ultimate	U
LoadLifter 7500 XL Ultimate	XL

Features Key and Installation Scale

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
 Internal Jounce Bumper	 Up to 20% more volume than LoadLifter 5000	 Easy	 Hand Tools	No metal drilling, grinding or removal of factory components.	 Number of hours a typical professional
 Stainless Steel Attaching Hardware		 Medium	 Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	 installer will take
 Anodized Aluminum Endcans		 Expert	 Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	 to complete a full

Adjustable Load Support Applications							Air Lift Front Kits (Representative front kit image)		Front (All Product Lines)		Air Lift 1000 & Air Lift 1000 HD		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries						
							Application Information for All Air Lift Front Kits				Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*		Up to 2,000 lbs. Load-Leveling Capacity*		Up to 5,000 lbs. Load-Leveling Capacity*		Up to 5,000 lbs. Load-Leveling Capacity*		Up to 7,500 lbs. Load-Leveling Capacity*		Up to 5,000 lbs. Load-Leveling Capacity*						
Model	Start Year	End Year	Drive	Notes		Kit	Type	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	
Kia																											
Sorento	2016	2019	F&A								60860	20%	1														
Sportage	2016	2022	F&A								60860	20%	1														
Telluride	2020	2024	F&A								60860	20%	1														
Lexus																											
LX 450-470	1996	2002									60728	20%	1														
GX460	2010	2020		Does not fit factory air suspension							60804	20%	3														
Lincoln - Car																											
Continental	1982	1988		Excl. vehicles w/ factory air suspension							60783	20%	1														
Mark VII	1984	1987		Excl. vehicles w/ factory air suspension							60783	20%	1														
Towncar	1980	1989									60769	20%	1														
Lincoln - Truck/SUV																											
Aviator	2020	2024	AWD	Does not fit factory air equipped vehicles							60855	20%	2														
Mark LT	2005	2009	2&4											59544	20%	1											
MKX	2007	2015	2&4								60819	20%	3.5														
MKS	2010	2016	2&4								60821	20%	1														
MKT	2010	2016	2&4								60821	20%	1														
Nautilus	2019	2024	AWD								60854	20%	1														
Mazda																											
MPV Van	1996	1998									60776	20%	1														
Pickup	1972	1993	2&4	All models										59503	20%	2											
Pickup	1994	1997	2WD	All models										59516	20%	2											
Pickup	1994	1997	4WD	All models										59516	20%	2											
Pickup	1998	2010	2&4	All models										59516	20%	2											
Mercury - Car																											
Cougar	1989	1991									60789	20%	1														
Cougar	1992	1997									60776	20%	1														
Grand Marquis	1998	2006									60798	20%	1														
Grand Marquis, Colony Park	1983	1997		Including station wagon							60769	20%	1														
Sable Station Wagon	1986	2005									60776	20%	1														
Mitsubishi																											
Expo	1992	1993									60776	20%	1														
Montero	1990	2000									60747	20%	1														
Montero Sport	1997	1998	4WD											59503	20%	2											
Montero Sport	1999	2004	4WD								60747	20%	1														
Pickup	1983	1993	2WD											59529	20%	2											
Raider	2006	2009	2&4											59555	20%	2											

Add an Air Lift on-board air compressor system. See page 37 to learn more.




P/N 74000
P/N 74000EZ (with EZ Mount)

Adjustable Load Support Applications							Air Lift Front Kits (Representative front kit image)		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries								
Model	Start Year	End Year	Drive	Notes	Front (All Product Lines)		Rear		Rear		Rear		Rear		Rear		Rear		Rear		Rear				
					Kit	Type	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time
Nissan																									
Frontier	1998	1998	2WD											59503	2										
Frontier	2013	2024	4WD											57244	2										
Murano	2003	2024	F&A							60774	1														
Pathfinder	1987	1995	4WD							60783	1														
Pathfinder	1996	2004	4WD							60742	1														
Pathfinder	2005	2012	4WD							60810	1														
Pathfinder	2013	2024	2&4							60838	1														
Pathfinder Armada	2004	2006	4WD							60807	1														
Pickup	1969	1997	2WD											59529	2										
Rogue	2014	2020	F&A							60836	1														
Rogue	2021	2024	AWD							60837	1														
Titan	2004	2015	2&4											59554	1										
Titan	2017	2024	2&4											57331	2.5	2.5	88331	2.5							
Titan XD	2016	2023	2&4											57229	2.5	2.5	88229	2.5							
Xterra	2005	2015	4WD											59562	1										
Oldsmobile - Car																									
Achieva	1992	1998								60789	1														
Aurora	1995	2004								60776	1														
Custom Cruiser Station Wagon	1977	1993								60755	1														
Custom Cruiser Station Wagon	1984	1995	FWD							60797	1														
Cutlass	1964	1966		Including station wagon and Vista Cruiser						60750	1														
Cutlass Calais	1985	1991	FWD							60789	1														
Cutlass Calais	1982	1996								60797	1														
Cutlass, Cutlass Supreme, Calais	1973	1987		Excluding station wagon						60733	1														
Cutlass, F-85, 442	1967	1972		Excluding station wagon						60744	1														
Delta 88, 98, Regency	1985	1999	FWD							60798	1														
LS Sedan	1996	1999								60798	1														
Oldsmobile - SUV/Van																									
Bravada	1991	1994												59503	2										
Bravada	2002	2004		Except factory air spring option						60779	1														
Silhouette APV	1997	2004								60748	1														
Plymouth - Car																									
Acclaim	1989	1995								60776	1														
Reliant	1981	1994								60776	1														
Sundance	1987	1993								60776	1														

Add an Air Lift on-board air compressor system. See page 37 to learn more.

P/N 74000
P/N 74000EZ (with EZ Mount)P/N 25980
P/N 25980EZ (with EZ Mount)

P/N 25981EZ

Single P/N 25854
Dual P/N 25856

Air Lift 1000.....AL
RideControl.....RC
LoadLifter 5000.....LL
LoadLifter 5000 Ultimate.....U
LoadLifter 7500 XL Ultimate.....XL

Internal Jounce Bumper
Stainless Steel Attaching Hardware
Anodized Aluminum Endcaps

Features Key and Installation Scale

Features	Difficulty Level	Tools	Modification to Vehicle	Installation Time
Up to 20% more volume than LoadLifter 5000	Easy	Hand Tools	No metal drilling, grinding or removal of factory components.	1 Number of hours a typical professional installer will take to complete a full installation
Stainless Steel Attaching Hardware	Medium	Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	2
Anodized Aluminum Endcaps	Expert	Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	3 4

*Never exceed manufacturer's recommended Gross Vehicle Weight Rating.

Adjustable Load Support Applications							Air Lift Front Kits (Representative front kit image)		RideControl		LoadLifter 5000		LoadLifter 5000 ULTIMATE		LoadLifter 7500 XL ULTIMATE		Air Lift ProSeries							
Model	Start Year	End Year	Drive	Notes	Front (All Product Lines)				Rear				Rear				Rear				Rear			
					Kit	Type	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools	Install Time	Kit	Difficulty Level	Tools
Saab																								
99, 900	1970	1991								60756	2	1												
Saturn																								
Outlook	2007	2011	F&A							60816	2	2												
Scion																								
Scion xB	2005	2006								60774	2	1												
Suzuki																								
Grand Vitara, Vitara, XL-7	1999	2005	4WD							60793	2	1												
Sidekick, 2 Door	1989	1998								60793	2	1												
Toyota - Truck/SUV																								
4 Runner	1990	1995	4WD							60812	2	1												
4 Runner	1996	2002	2&4							60743	2	1												
4 Runner	2003	2009	4WD							60809	2	1												
4 Runner	2010	2023	4WD	Does not fit factory air suspension						60804	2	3												
FJ Cruiser	2007	2014	4WD							60809	2	1												
Land Cruiser	1991	2006								60728	2	1												
Pickup	1969	1995	2WD							59502	2	2												
Pickup	1969	1995	4WD	Except extended cab						59502	2	2												
RAV4	1996	2000	2&4							60789	2	1												
RAV4	2006	2018	4WD							60840	2	2												
RAV4	2019	2023	4WD							60842	2	2												
RAV4	2022	2023	2WD							60842	2	2												
Sequoia	2001	2007	2&4							60812	2	1												
Sequoia	2011	2022	4WD	Does not fit Platinum platforms with air suspension						60826	2	1												
Sequoia SR-5	2008	2018	2&4	Does not fit the auto leveling option						60786	2	1												
T-100 Pickup	1993	1998	4WD							59503	2	2												
T-100 Pickup	1993	1998	2WD	All models						59502	2	2												
Tacoma	1995	2004	2WD							59503	2	2												
Tacoma	1995	2004	4WD							59537	2	2												
Tacoma	2005	2023	2WD	Fits axle over leaf design models only						59564	2	1												
Tacoma	2005	2023	4WD								57300	2.5												
Tacoma	2005	2023	2WD	Fits leaf over axle design models only							57300	2.5												
Tundra	2000	2006	2&4	Does not fit Tundra equipped w/ TRD package sporting 275/65-18 wheels & tires						59530	1													
Tundra	2007	2021	2&4	May not work with some 5th wheel hitches															88299	2	1			
Tundra	2022	2024	2&4	Does not fit factory air suspension or 5th wheel hitches														57383	3	3	88383	3		
Toyota - Van																								
Sienna	2004	2020	2&4							60732	2	1												
Volkswagen																								
EuroVan	1985	2003								60789	2	1												
Routan	2008	2014	2WD							60814	2	2												

Add an Air Lift on-board air compressor system. See page 37 to learn more.



P/N 74000
P/N 7400EZ (with EZ Mount)



P/N 25980
P/N 25980EZ (with EZ Mount)



P/N 25981EZ
Single P/N 25854
Dual P/N 25856



Kit Type Abbreviations

Air Lift 1000	AL

<tbl_r cells="2" ix="3" maxcspan="1" maxr



SLAMAIR™ / DRAG BAGS

MOTORHOMES / RV / STEP VANS



SlamAir Applications for Lowered Vehicles

Model	Start Year	End Year	Drive	Notes	2" - 4" Rear Kit	Replacement Bag	5" - 6" Rear Kit	Replacement Bag
Chevrolet/GMC								
1/2 Ton Full Size Truck	1988	1998	2WD		59103	50254	59106BT	50203
3/4 Ton Truck	1988	2000	2WD	Classic Only	no fit	no fit	59202	50207
1 Ton Truck	1988	2000	2WD		no fit	no fit	59202	50207
Astro Van	1995	2004	2WD	Multi-leaf		50254	no fit	no fit
Silverado/Sierra 1/2 Ton Pickup	1993	2008	2WD	Except 1500 HD	59103	50254	no fit	no fit
Silverado/Sierra GMT 800	1999	2007	2WD	Fits 4-6" drops only	59209	50266	59209	50266
Silverado/Sierra GMT 900	2007	2018	2WD	Fits 4-6" drops only; Does not fit long bed	59209	50266	59209	50266
Ford								
1/2 Ton Full Size Truck	1970	2004	2WD	For 2004, fits Heritage model only	59103	50254	no fit	no fit
F-150	2004	2014	2&4	New body, excludes Heritage models	59210	50266	59210	50266
Dodge								
1/2 Ton Full Size Truck	1969	2001	2WD		59103	50254	no fit	no fit
1500	2002	2008	2WD	Fits 4-6" drops only	59113	50259	59113	50259
Lincoln								
Mark LT	2005	2009	2&4		59210	50266	59210	50266
Mazda								
Pickup	1998	2009	2WD		59103	50254	no fit	no fit

*Does not fit if top of leaf to bottom of the frame is less than 8.5"

Drag Bags Applications

Model	Start Year	End Year	Front Kit	Front Repl. Bag Only	TOOLS	INSTALL TIME	Rear Kit	Rear Repl. Bag Only	TOOLS	INSTALL TIME
Buick										
Deluxe, Special, Skylark	1967	1972					60844	60844	⊗	1
Regal, Century, Gran Sport	1973	1987					60844	60844	⊗	1
Chevrolet										
Camaro Z-28, IROC-Z	1982	2002					60897	60897	⊗	1
Chevelle, Malibu, SS, "300"	1967	1972					60844	60844	⊗	1
Chevelle, Malibu, Laguna (incl. Station Wagon)	1973	1983					60844	60844	⊗	1
El Camino	1967	1987					60844	60844	⊗	1
Monte Carlo	1973	1988					60844	60844	⊗	1
Monte Carlo SS	1984	1988					60844	60844	⊗	1
Ford										
Mustang	1979	2004					60897	60897	⊗	1
Oldsmobile										
Cutlass, F-85, 442 (excl. Station Wagon)	1967	1972					60844	60844	⊗	1
Cutlass	1973	1988					60844	60844	⊗	1
Pontiac										
Firebird, Trans Am	1982	2002					60897	60897	⊗	1
Grand Am, LeMans	1973	1982					60844	60844	⊗	1
Grand Prix	1969	1972					60844	60844	⊗	1
Grand Prix	1973	1987					60844	60844	⊗	1
GTO, LeMans, Tempest, Judge, Custom "S" (excl. station wagon)	1967	1972					60844	60844	⊗	1

Motorhome/RV/Step Van Applications

Model	Start Year	End Year	Notes	Front Kit	Front Repl. Bag Only	TOOLS	INSTALL TIME	Std. Rear Kit	Std. Rear Repl. Bag Only	Ultimate Rear Kit	Ultimate Rear Repl. Bag Only	TOOLS	INSTALL TIME
Chevrolet													
G-30 Class "C"	1970	1995						81560	81260	⊗	1		
G-3500 Cutaway Chassis	1998	2012	No fit for '96-'97							57245	50252	88245	84252
G-4500 Cutaway Chassis	2009	2012								57245	50252	88245	84252
GP-30 Cutaway Chassis	1993	1995						81560	81260	⊗	1		
5500 Cutaway Chassis/C4500	2004	2009								57292	50329		
W20/W22/W24	2002	2009	GVWR 20,000-24,000			88101	50252 84252		1			88202	84201
Workhorse W-18	2000	2009	18,000 GVWR only			81560	81260	⊗	1				
Workhorse W-16	2005	2009	10,500-17,000 GVWR			81560	81260	⊗	1				
P-30, P-32	1993	2005	Over 14,500 GVWR			81560	81260	⊗	1			88219	84201
P-30, P-32	1963	1999	93-'99 14,500 GVWR and under			81560	81260	⊗	1			88203	84284
Ford													
E-350 Class "C"	1975	2024										88138	84264
E-450 Super Duty Class "C"	1996	2008	Underframe kit for up to 14,050 GVWR							57131	50201	88131	84201
E-450 Super Duty Class "C"	1996	2022	Side mount kit for maximum load & stability with GVWR over 14,050; Requires 8" between tire and frame.							57242	50251	88242	84251
F-53 Class "A"	1990	1997				57140 88140	50252 84252	⊗	2			88208	84201
F-53 Class "A"	1998	2008	Does not fit 26,000 GVWR. Requires 9" between the tire and frame.			57140 88140	50252 84252	⊗	2	57410	50229		
F-53 Class "A" Commercial Chassis	2009	2024	Does not fit 24,000 & 26,000 GVWR. Requires 8" between the tire and frame.			88240	84264	⊗	1.5	57344	50201	88344	84251
Toyota													
Micro Mini	1986	1994								57113	50252	88113	84252

UNIVERSAL AIR SPRING KITS



We have a kit for almost any coil-sprung vehicle


Can't find an air spring kit for a coil-sprung vehicle? Air Lift 1000 Universal Air Spring Kits fit almost any open coil spring to provide up to 1,000 lbs. of load-leveling support*. Just take two simple measurements and use the chart below to find the correct kit for your application.

Finding the correct application is as easy as 1-2-3!

1. **Unload the vehicle** in order to take the most accurate measurements of the coil springs. Once the vehicle is at normal ride height, then move on to step two.

2. **Take two measurements**. Measure the inside height (X) — the available height within the coil spring. Then, measure the inside diameter (Y), or the width available inside the coil from side to side at its widest point (see diagram).

3. **Find the corresponding part number**. Using the chart on the right, find the row that contains the correct inside height and inside diameter, and see which part number lines up with those values. It is better to be slightly undersized than oversized.



Air Lift 1000 Universal Air Spring Kits contain everything needed for a full installation!

- Two Air Lift 1000 air springs
- Air spring spacers (if applicable)
- Two heat shields with clamps
- Air line, tee, zip ties and two Schrader valves
- Detailed installation guide with advice for a proper installation


* Never exceed manufacturer's recommended Gross Vehicle Weight Rating.



Air Lift 1000 Universal Air Springs

Kit #	Min. Diameter (Y)	Min. Length (X)
60900	3.00"	5.50"
60901	3.00"	8.00"
60902	3.00"	9.00"
60903	3.50"	5.26"
60904	3.50"	7.75"
60905	3.50"	9.50"
60906	4.00"	5.00"
60907	4.00"	6.00"
60908	4.00"	7.00"
60909	4.00"	8.00"
60910	4.00"	9.00"
60911	4.00"	10.00"
60914	4.50"	6.50"
60915	4.50"	7.50"
60916	4.50"	9.00"
60917	4.50"	10.00"
60918	5.00"	5.25"
60919	5.00"	7.00"
60920	5.00"	9.00"
60921	5.00"	11.00"
60922	5.50"	5.50"
60923	5.50"	7.50"
60924	5.50"	8.50"
60925	5.50"	9.50"
60926	5.50"	10.50"
60927	5.50"	11.50"

COMPRESSOR SYSTEMS

Compressor Systems		
Features	SINGLE-PATH Controlling two air springs together	DUAL-PATH Controlling two air springs independently
WIRELESS	WirelessONE™ Tank + EZ Mount P/N 25981EZ 	WirelessAIR™ Tank + EZ Mount P/N 74100EZ 
<i>Also available as an Upgrade Kit for your existing WirelessOne or WirelessAir System!</i>		
NEW! 	WirelessONE™ P/N 25980 	WirelessAIR™ P/N 74000 
	WirelessONE™ with EZ MOUNT™ P/N 25981 Upgrade Kit (WirelessOne) P/N 74100 Upgrade Kit (WirelessAir) 	WirelessAIR™ with EZ MOUNT™ P/N 74000EZ 
COMPACT & PANEL ANALOG	LoadController Compact  Heavy-duty P/N 25854	LoadController Panel  Standard-duty P/N 25592
		LoadController Compact  Heavy-duty P/N 25856
		 Single- and Dual-Path gauges come with a mounting pod.

Accessories

Model	Notes	Kit Number
Universal Air Spring Spacers for ProSeries and LoadLifter Kits		
Universal Air Spring Cradle		Kit includes 2 universal air spring spacers made from durable and lightweight engineered resin plus all attaching hardware
Air Spring Spacer — 2" spacer		52500
Air Spring Spacer — 4" spacer (available in straight and angled versions)		52420 — straight
Air Spring Spacer — 6" spacer (available in straight and angled versions)		52440 — straight 52445 — angled
	Includes all hardware; Does not fit RideControl	52460 — straight 52465 — angled
Visit Air-Lift.co/spacer for more information on how to choose the right spacer for your application.		
Replacement Hose Kits		
Hose Cutter		10530
Replacement Hose Kit - Push-on (607xx & 807xx Series)		22007
P-30 Hose Kit		22022
Replacement Hose Kit (605xx & 805xx Series)		22030
Other Accessories		
160 PSI Air Shock Controller		25804

REPLACEMENT AIR SPRINGS

AIR SPRING SPECIFICATIONS

Kit	Replacement Air Spring
57132	50252
57147	50252
57154	50252
57200	50298
57204	50297
57205	50252
57211	50297
57212	50201
57213	50290
57215	50201
57216	50201
57228	50298
57229	50201
57230	50235
57231	50201
57233	50251
57234	50772
57237	50201
57242	50251
57244	50225
57245	50252
57250	50201
57257	50293
57268	50205
57272	50298
57275	50290
57284	50205
57286	50290
57288	50217
57289	50293
57291	50201
57292	50229
57295	50293
57297	50217
57298	50201
57300	50225
57331	50771
57338	50297
57340	50251
57341	50297
57343	50201
57345	50229
57347	50201
57349	50201
57350	50293
57352	50293
57355	50385
57365	50293
57375	50293
57380	50293
57383	50383
57385	50385
57388	50293

Kit	Replacement Air Spring
57389	50389
57390	50201
57393	50201
57395	50201
57396	50201
57397	50201
57398	50201
57399	50293
57409	50201
57531	50236
57538	50236
57541	50236
57550	50236
57552	50236
57575	50236
57577	50236
57580	50236
57589	50236
57595	50236
57596	50236
59501	50203
59502	50255
59503	50208
59507	50269
59508	50203
59516	50259
59518	50259
59521	50269
59526	50256
59529	50202
59530	50291
59533	50292
59537	50256
59539	50203
59544	50270
59547	50254
59551	50203
59554	50256
59555	50203
59561	50254
59562	50259
59564	50256
59565	50203
59568	50203
59570	50736
60713	60213
60724	60724
60728	60728
60732	60232
60733	60733
60740	60740
60742	60742
60743	60743

Kit	Replacement Air Spring
60744	60744
60747	60747
60748	60748
60750	60750
60754	60754
60755	60755
60756	60756
60769	60269
60774	60774
60776	60776
60779	60779
60783	60783
60786	60786
60789	60789
60793	60793
60797	60797
60798	60798
60804	60804
60807	60807
60808	60808
60809	60809
60810	60810
60811	60811
60812	60812
60814	60814
60815	60315
60816	60816
60817	60317
60818	60318
60819	60819
60821	60821
60822	60322
60824	60824
60825	60825
60826	60826
60828	60328
60829	60829
60830	60830
60834	60834
60836	60836
60837	60837
60838	60838
60839	60839
60840	60840
60841	60841
60842	60842
60843	60843
60844	60844
60845	60845
60846	60846
60847	60847
60848	60848
60849	60849
60850	60850
60851	60851
60852	60852
60853	60853
60854	60854
60855	60355
60856	60856
60857	60857
60858	60858
60859	60859

Kit	Replacement Air Spring
94289	86005
94295	86005
94299	86003
94338	86005
94341	86005
94350	86005
94352	86005
94355	86006
94365	86005
94375	86005
94385	86005
94388	86005
94390	86005
94391	86005
94395	86005
94396	86005
94398	86005
94399	86005
94400	86001
94401	86001
94402	86001
94403	86001
94404	86001
94405	86001
94406	86001
94407	86001
94408	86001
94409	86001
94410	86001
94411	86001
94412	86001
94413	86001
94414	86001
94415	86001
94416	86001
94417	86001
94418	86001
94419	86001
94420	86001
94421	86001
94422	86001
94423	86005
94424	86004
94425	86004
94426	86004
94427	86005
94428	86005
94429	86005
94430	86005
94431	86001
94432	86001
94433	86001
94434	86001
94435	86001
94436	86001
94437	86001
94438	86001
94439	86001
94440	86001
94441	86001
94442	86001
94443	86001
94444	86001
94445	86001
94446	86001
94447	86001
94448	86001
94449	86001
94450	86001
94451	86001
94452	86001
94453	86001
94454	86001
94455	86001
94456	86001
94457	86001
94458	86001
94459	86001
94460	86001
94461	86001
94462	86001
94463	86001
94464	86001
94465	86001
94466	86001
94467	86001
94468	86001
94469	86001
94470	86001
94471	86001
94472	86001
94473	86001
94474	86001
94475	86001
94476	86001
94477	86001
94478	86001
94479	86001
94480	86001
94481	86001
94482	86001
94483	86001
94484	86001
94485	86001
94486	86001
94487	86001
94488	

Service Parts Kit		
	P/N	Description
	25301	Kit includes: 1 - 20937 - 50ft. of 1/4" Poly Hose (Urethane) 2 - 20086 - Air Line Assembly 4 - 21838 - Tee 1/4"PTC - 1/4"PTC 4 - 21837 - Elbow 1/8"MNPT - 1/4"PTC 2 - 21830 - Elbow 1/4"MNPT - 1/4"PTC 4 - 21840 - Union 1/4"PTC x 1/4"PTC 2 - 21739 - Tee, Single Barb for .170 ID 2 - 21848 - Elbow 1/8"MNPT x 1/4"PTC

Fittings		P/N	Description
	Branch Tee	21841	1/8"MNPT x 1/4"PTC
	Female Straight	21810	1/4"PTC-1/4"FNPT
		21869	1/4"FNPT-1/4"PTC
	Male Elbow	21815	1/8"MNPT x 4AN
		21830	1/4"MNPT x 1/4"PTC
		21837	1/8"MNPT x 1/4"PTC
		21848	1/8"MNPT x 1/4"PTC
	Male Straight	21804	1/8"MNPT x 4AN M
		21807	1/4"MNPT x 1/4"PTC
		21813	1/4"MNPT x 4AN
		21839	1/4"PTC x 1/8"MNPT
	Tee Union	21838	1/4"PTC x 1/4"PTC
	Y-Fitting	21842	Y 1/4"PTC

PTC - Push-to-Connect Fitting

NPT - National Pipe Thread Fitting

AN - (Army-Navy) Flare-type Compression Fitting

Upgrade Any LoadLifter 5000 Series Kit

Ultimate Plus Upgrade Kit	P/N	Description
	52301	Includes stainless steel air lines (2 x 5.5'), roll plates, AN fittings and mounting hardware

Braided Air Line Upgrade Kit	P/N	Description
	52300	Includes stainless air lines (2 x 5.5') and AN fittings only

COMPRESSOR SYSTEM PARTS


Compressor Parts	P/N	Description
	16060	Standard-duty 12V Air Compressor, 0.92 CFM, 100 PSI Replacement compressor for kits 25592 & 25980
	16192	Heavy-duty 12V Air Compressor, 1.03 CFM, 120 PSI Replacement compressor for kits 25854, 25856, 25980EZ, 74000 & 74000EZ
	16190	Compressor, 12V, 1.59 CFM, 150PSI Replacement compressor for kits 25572, 25690
	26156	Single Gauge Panel Assembly for LoadController
	26159	Dual Gauge Panel Assembly for LoadController
	25194	Single Analog Gauge
	25195	Dual Analog Gauge
	25196	Analog Gauge Pod (pod only, gauge not included)
	26897	WirelessAir Harness
	26896	WirelessOne Harness

Towtal View™ HD Camera with Versatile Mounts




Towtal View Camera Features

- + 80° vertical and 110° horizontal field of view (FOV)
- + Wireless HD camera with over 100 feet of reliable range via a strong and secure Wi-Fi connection
- + Free mobile app for iOS and Android to view live color camera feed, record video, capture photos, add/remove backup-assist lines, mirror the image and rotate the image
- + Quick connect mounts allow for easy, no-tool swapping between hardwired and battery pack mounts
- + Infrared LED lights for night vision maintaining color viewing, rather than traditional black & white night vision
- + With a portable mount and 5+ hours of battery, the camera can be mounted in a variety of locations
- + Multi-coated lens for clarity by reducing glare, resisting fingerprints and scratches and improving color accuracy
- + IP68 waterproof rated
- + 2-year limited warranty



Versatile Mount Features



FREQUENTLY ASKED QUESTIONS

Q. Will adding air springs increase the weight rating of my vehicle?

A. No. Adding air springs does not change the Weight Rating (GVWR, GCWR, GAWR) of a vehicle. Adding weight over the factory rating is dangerous and voids your Air Lift warranty. Weight ratings take into account tires, bearings, frame, brakes and more. Increasing your suspension's ability to support weight does not increase the weight ratings. Never exceed your vehicle's weight ratings.

Q. Do you have to add a compressor (On-Board Air Compressor System) to your air springs?

A. A compressor isn't required, but it is convenient! An on-board air compressor system allows you to inflate and deflate your air springs on the go. Compressors remove the hassle of pulling over or searching for service stations with air pumps. With our on-board air compressor systems, all adjustments are automatic and can be made with the touch of a button while driving or parked.

Q. Do I have to keep air in the springs all the time, and how much pressure do I need?

A. Yes, you should always maintain the recommended minimum air pressure of 5 PSI, even if your vehicle isn't loaded. This keeps the air springs "in shape" and able to perform without rubbing or wearing. Just check the air pressure periodically, as you do for your tires.

Q. Can air springs raise or lower my vehicle?

A. If you're asking if conventional air springs can take the place of a lift or lowering kit, the answer is NO. If you're asking if air springs will cause a normal ride height vehicle to ride higher, the answer is YES, if you want them to, by adding pressure, but only by an inch or two. If you DO want to lower your vehicle, look into our Air Lift Performance products. If you have a lowered truck and want to add air springs for towing, look at SlamAir™ (page 34). If you have a lifted truck and would like to add the support of air springs, check out Universal Air Spring Spacers (page 37). Call customer support at (800) 248-0892 for more information.

Q. My vehicle rides rough while towing or hauling; will adding air make it ride better?

A. Absolutely! Air springs are engineered to increase ride quality when carrying heavy loads and help fatigued springs ride smoothly. Our air springs greatly improve ride quality when towing or hauling.

Q. Can I use air springs with factory overload springs?

A. Yes, most of Air Lift's applications work with overload springs. Check our application guide for your vehicle.

Q. How long do air springs last?

A. Forever! If they are properly installed and maintained, our air springs can last indefinitely. Just check the pressure regularly, or use an on-board air system to maintain it for you. Air Lift offers a lifetime warranty on all of our air spring kits. See page 5 for details.

Q. What's better, steel helper springs or air helper springs?

A. Air Lift air helper springs are the best solution because they are totally adjustable — steel springs are not. All you have to do is add or remove air to fine-tune your ride for all load situations! That's the reason professional drivers choose air over steel.

Q. How do I get replacement parts if I ever need them?

A. Air Lift sells many parts individually, while our competitors want to sell you pairs of parts. You can get Air Lift replacement parts from your dealer or directly from Air Lift Company. If your dealer cannot help, call Air Lift at 1-800-248-0892.



◀ Check out all the
NEW Air Lift Products



Product information and photographs are accurate at the time of printing. Kit and part photographs are representative and vary according to vehicle application. Air Lift Company reserves the right to upgrade or modify content as new components become available and is not responsible for misprints.

AD-868 • 9/24 • Copyright © 2024 Air Lift Company

Customer Support:

service@airliftcompany.com
1.800.248.0892
airliftcompany.com

