

B & V PRODUCTS 2021-23 F-150 CONSOLE SAFE PART # 7045-1000-21

*DOES NOT FIT FOLD DOWN STYLE CONSOLES

www.bvnproducts.com



TOOLS REQUIRED: STAR HEAD SCREW DRIVER, POWER SCREW DRIVER WITH HEX HEAD ADAPTER



1. THIS CONSOLE SAFE
FITS 2021+ F150
MODELS WITH
SEPARATE DRIVERS
AND PASSENGER
FRONT SEATS AND
THE CONSOLE
SHOWN IN THE
PICTURE (LEFT



2. REMOVE THE CONSOLE COIN TRAY



3.REMOVE THE INNER PLASTIC PANEL FROM THE INSIDE OF THE CONSOLE DOOR TO MAKE ROOM TO INSTALL THE CONSOLE SAFE. START BY REMOVING THE RETAINING SCREW WITH A STAR HEAD SCREW DRIVER.





4. PRESS THE RELEASE BUTTON TO PULL IN THE TABS THAT ARE USED TO CLOSE THE CONSOLE DOOR.

PRESS IN THE SIDE TABS TO MAKE SURE THEY ARE INSIDE THE PLASTIC COVER. THEN PULL OFF THE INSIDE COVER



OF THE DOOR FROM THE BOTTOM WHERE THE SCREW WAS REMOVED.

5. AFTER THE INSIDE CONSOLE DOOR COVER IS REMOVED, IT IS TIME TO INSTALL



THE CONSOLE SAFE. USE SLIGHT EFFORT (PRESSURE) TO PULL THE CONSOLE LID BACK TO ALLOW THE CONSOLE SAFE TO FIT INTO THE CONSOLE CAVITY. SLIDE THE SAFE TO BE **FLUSH WITH THE DRIVER'S SIDE** OF THE CAVITY TO MAKE ROOM FOR THE CONSOLE TRAY (MAKE SURE THE TRAY FITS AND THEN REMOVE).

6. WITH THE CONSOLE IN PLACE USE A

STANDARD CORDLESS DRILL TO INSTALL (3) ¼ HEX HEAD ZIP SCREWS THROUGH THE BOTTOM OF THE CONSOLE SAFE THROUGH THE 3

HOLES PROVIDED TO SECURE THE SAFE.



7. RE-INSTALL THE INNER PLASTIC

PANEL TO THE CONSOLE DOOR AND SECURE IT WITH THE FACTORY

SCREW TO TIGHTEN IT DOWN.




9. PUT THE CONSOLE COIN TRAY BACK INTO POSITION. SET THE LOCK



PER THE INSTRUCTIONS PROVIDED.

The opening combination code is preset to 0-0-0

- 1. Combination must be set to the opening combination code prior to resetting.
- 2. Set knob to the lock position.
- 3. The code reset button is located on the side of the lock. Press and hold the reset button.
- 4. Set your personal combination by turning the dials to the desired combination.
- 5. Release the reset button and the new opening combination code is set.
- 6. To lock, rotate one or more dials after the dial is turned to the lock position.
- 7. Toopenthelock, turn the dialstoyourpersonal combination.



Discovering an unknown combination using the key:

- $\textbf{1.} \ \ \textbf{Insert the key} and turn it counter clockwise to unlock and$ openthesafe. Note: The knob will remain in the lock position.
- 2. With the key in the unlock position, turn each dial until it stops.
- 3. Once all the dials have stopped, the current opening combination code has been discovered and can now be reset.



F150 2021 CONSOLE SAFE PACKAGING.

CONSOLE KIT INCLUDES:

1. CONSOLE SAFE



2. LOCK INSTRUCTIONS
3. 3 ¼" HEX HEAD ZIP SCREWS TO
SECURE THE SAFE TO THE
CONSOLE BODY
4. RUBBER MAT FOR THE FLOOR
OF THE CONSOLE SAFE.

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT YOUR CONSOLE SAFE DISTRIBUTOR.

Warranty. B & V products (Manufactured by Fralo Industries) are warranted against defects in workmanship for a period of one (1) year from the date of purchase. Fralo's liability under this warranty is limited to the repair or replacement, at the option of Fralo, of the products or parts thereof covered by this Warranty, provided that Buyer provides all necessary materials. Fralo's

obligation under this warranty shall not arise unless written notice of a warranty claim is made to Fralo. Fralo may require that the product in question be delivered for inspection, freight prepaid, at Fralo's office in Erie, Pennsylvania, or some other location designated by Fralo. THE REPAIR OR REPLACEMENT WARRANTY HEREIN SET FORTH IS THE EXCLUSIVE WARRANTY GIVEN BY FRALO FOR ITS GOODS. THIS WARRANTY IS GIVEN IN LIEU OF ANY OTHER WARRANTIES, WHETHER WRITTEN OR ORAL, EXPRESS OR IMPLIED. ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE ARE HEREBY EXPRESSLY EXCLUDED BY FRALO. FRALO NEITHER ASSUMES, NOR DOES IT AUTHORIZE ANY OTHER PERSON TO ASSUME ON ITS BEHALF, ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OF ITS GOODS