
# Ventvisor Deflector


**I-Sheet Part # WIN57 Rev.F**

## Components and Hardware

1.



2.



3.



**(4 pc set only)**

4.



**(4 pc set only)**

5.




## Components and Hardware:

1. Ventvisor Front LH ..... (1)
2. Ventvisor Front RH ..... (1)
3. Ventvisor Rear LH ..... (1)
4. Ventvisor Rear RH ..... (1)
5. Alcohol Pad ..... (2 or 4)

## Tools for Installation:


- Car Wash Supplies
- Clean Towel

# Ventvisor Deflector


## Preparation Before Installation:

- A trial fit is recommended to ensure proper positioning and fit.
- Check fit of parts before painting as we will not accept the return of modified or painted parts.
- Wash and dry your vehicle to remove any debris and/or dirt from the installation area.


NOTE: Ensure vehicle surface and part are between 60°F and 80°F (15°C and 27°C) prior to installation.




Do not drive vehicle for 24 hours after installation.




Do not wash vehicle for 72 hours after installation.



# Ventvisor Deflector


## Installation Procedure:

1 Clean the painted surface where the visor will mount with an alcohol pad.





**Note:** Visors mount on the outside painted surface of the door frame.

2 Remove the tape liner from the rear flange. Peel back 2” (5cm) of tape liner from each end of top flange.





3 Carefully lift the mirror cap cover to create a 1/4” gap.



# Ventvisor Deflector


4

While lifting mirror cap, insert front flange of visor underneath it. Release mirror cap.




5

Align the passenger side visor with the previously cleaned surface.




6

With the visor in its final position, remove the remaining tape liner by pulling on free ends.



# Ventvisor Deflector


7 Press along visor flanges to ensure proper adhesion.



8 **4 Piece Set**

The rear visor attaches with same preparation methods as the front visor. Attach visor to the vehicle's painted surface.

Repeat **Steps 1 - 8** for opposite side



## Care and Cleaning

- Wash only with mild soap & dry with a clean cloth.

**The material that your product is made from can be recycled. Please also consider recycling the packaging that your product came in.**

## Congratulations!

We take the utmost pride in our products and want you to enjoy years of satisfaction from your investment. We have made every effort to ensure that your product is top quality in terms of fit, durability, finish and ease of installation.

**www.huskyliners.com**
**Phone: 800-344-8759**
**Email: customerservice@huskyliners.com**